


CORPORATE DOOR COMPANY
G.R.P. GARAGE DOORS



















CORPORATE

Reinforced Polyester) garage doors and components. The Corporate Door Company is an independent manufacturer of G.R.P. (Glass

weight ratio as steel weight and durable, it does not rust, warp or rot and has the same strength to G.R.P. is an ideal material for the construction of garage doors, being both light

a wide range of wood tones and colour finishes. compliment your property in either gloss white or realistic woodgrain effect with Our garage doors are hand made to order and are available in a choice of styles to

with a matching colour or wood stain effect for improved aesthetic appearance. applied to the back of every door and the top, bottom and side edges are finished the door for maximum strength and rigidity. An additional smooth gel flow coat is metal and timber framework which is fully encapsulated within the structure of Every garage door is finished to a very high specification and incorporates a

the highest quality and as perfect as it possibly can be. take great care and spend time to ensure that each and every garage door is of We are very proud of the doors that we make. Our team of experienced craftsmen











DOUBLE DOOR - SIZES

1880mm [6'2"] to		4115mm (13'6") to	
o 2134mm (7'0")	MAX HEIGHT	o 4724mm (15'6")	MAX WIDTH





















THE ASHTEAD

single tall version with sizes up to 2438mm (8'0") high. style is suited to both new build and traditional properties. This door is available in a The Ashtead door has an attractive low maintenance wide woodgrain finish and its

G.R.P. WOODGRAIN COLOUR OPTIONS












SINGLE DOOR - SIZES

1880mm [6'2"]		2032mm [6'8"]	
ਰ		ਰ	
2134mm (7'0")	MAX HEIGHT	2438mm [8'0"]	MAX WIDTH



DOUBLE DOOR - SIZES

1880mm (6'2"	MIN HEIGH	4115mm (13'6"	MIN WIDT
6'2") to		3'6"] to	I
2134mm [7'0"]	MAX HEIGHT	4572mm (15'0")	MAX WIDTH





















THE WEYBRIDGE

required. Single door shown with optional Perspex windows. fielded panels are taken from the popular Georgian door design. This door is supplied with black opaque windows as standard, but can be fitted with Perspex windows if The Weybridge door has an elliptical sunray moulded into the door. The raised and

G.R.P. COLOUR OPTIONS

SEE PAGE 18 FOR DETAILS



GLAZING OPTIONS

SEE PAGE 19 FOR DETAILS





Please note: black windows are opaque and cannot be seen through.







THE RICHMOND



SINGLE DOOR - SIZES

1880mm (6'2")	MIN HEIGHT	2032mm [6'8"]	MIN WIDTH
ð		ð	
2286mm (7'6")	MAX HEIGHT	2540mm (8'4")	MAX WIDTH



DOUBLE DOOR - SIZES





























G.R.P. COLOUR OPTIONS

in a single tall version with sizes up to 2286mm (7'6") high.

mouldings. Double door shown with optional Perspex windows. This door is available white G.R.P. with sharply defined raised and fielded panels and deeply defined The Richmond door's Georgian design is manufactured in maintenance free gloss

SEE PAGE 18 FOR DETAILS



GLAZING OPTIONS



cannot be seen through. Please note: black windows are opaque and









SINGLE DOOR - SIZES

1981mm (6'6 ")	1981mm [6'6"]	
ಕ	ਰ	
2134mm [7'0"]	2388mm (7'10")	























THE BROCKHAM

textured woodgrain effect. The Brockham door has a traditional vertical tongued and grooved panel with a

G.R.P. WOODGRAIN COLOUR OPTIONS













1880mm (6'2")	MIN HEIGHT	2032mm (6'8")	MIN WIDTH
ð		ಕ	
2286mm (7'6")	MAX HEIGHT	2438mm [8'0"]	MAX WIDTH



DOUBLE DOOR - SIZES

2134mm [7'0"]	ਰ	1880mm [6'2"]
		MIN HEIGHT
4877mm (16'0")	ಕ	2515mm [8'4"]
		MIN WIDTH

























THE COBHAM

with optional Perspex windows. door but without any of the associated maintenance problems. Single door shown The Cobham is an impressive door, with the appearance of a solid timber panelled

G.R.P. WOODGRAIN COLOUR OPTIONS

GLAZING OPTIONS

SEE PAGE 19 FOR DETAILS

SEE PAGE 18 FOR DETAILS



2










cannot be seen through. Please note: black windows are opaque and










1931mm (6'4")		2185mm (7'2")		2134mm (7'0")	MIN WIDTH
ಕ		ਰ		ਰ	
2134mm (7'0")	MAX HEIGHT	2438mm [8'0"]	MAX WIDTH	2134mm (7'0")	MAX WIDTH



DOUBLE DOOR - SIZES

2134mm [7'0"]	ಕ	1931mm [6'4"]
MAX HEIGHT		MIN HEIGHT
4724mm [15'6"]	ಕ	4267mm (14'0")
MAX WIDTH		MIN WIDTH























MADE IN

THE BETCHWORTH

shown with optional Perspex windows. windows as standard but can be fitted with Perspex windows if required. Single door the convenience of a one piece up and over door. The door is supplied with opaque black The Betchworth door combines the appearance of traditional side hinged doors with

G.R.P. WOODGRAIN COLOUR OPTIONS

SEE PAGE 18 FOR DETAILS



GLAZING OPTIONS



cannot be seen through. Please note: black windows are opaque and







SINGLE DOOR - SIZES

MIN WIDTH 1524mm (5'0") to 2438mm (8'0") MIN HEIGHT 1880mm (6'2") to 2286mm (7'6")				
	1880mm (6'2")		1524mm (5'0")	
MAX WIDTH 2438mm [8'0"] MAX HEIGHT 2286mm [7'6"]	ಕ		ಕ	
	2286mm (7'6")	MAX HEIGHT	2438mm [8'0"]	MAX WIDTH























G.R.P. WOODGRAIN COLOUR OPTIONS SEE PAGE 18 FOR DETAILS

sizes up to 2286mm (7'6") high.

woodgrain finish. This door is available in both single and double tall versions with groove panels. Available in a range of wood tones and colours with a realistic natural

The Verwood door is a vertical panelled door with 125mm (5") wide tongue and

THE VERWOOD

















THE WOODSIDE

















tones and colours with a realistic natural woodgrain finish. This door is available in a single tall version with sizes up to 2438mm (8'0") high. 125mm (5") high horizontal tongue and groove panels. Available in a range of wood The Woodside door is a Verwood door turned 90°. Only available as a single door with

SINGLE DOOR - SIZES

1880mm (6'2") to	MIN HEIGHT	1829mm [6'0"] to	MIN WIDTH
2438mm [8'0"]	MAX HEIGHT	2286mm (7'6")	MAX WIDTH

G.R.P. WOODGRAIN COLOUR OPTIONS











1982mm [6'6"]	2134mm (7'0")	
đ	đ	
2286mm (7'6")	2540mm (8'4")	



2134mm (7'0")	MIN HEIGHT	4267mm (14'0")	MIN WIDTH
ਰ		₫	
2286mm (7'6")	MAX HEIGHT	4724mm (15'6")	MAX WIDTH





















The Kingston door has tongue and groove effect panels with a realistic textured natural woodgrain finish.


THE KINGSTON

G.R.P. WOODGRAIN COLOUR OPTIONS











2134mm (7'0")	HNIM	2134mm (7'0"	MIN <
n (7'0")		n (7'0")	
ð		ð	
2286mm (7'6")	MAX HEIGHT	2438mm (8'0")	MAX WIDTH

























MADE IN

THE LINGFIELD

windows if required. with Stippled Perspex windows as standard but can be fitted with opaque black door but without any of the associated maintenance problems. The door is supplied The Lingfield is an impressive door, with the appearance of a popular style timber

G.R.P. WOODGRAIN COLOUR OPTIONS

SEE PAGE 18 FOR DETAILS



GLAZING OPTIONS



cannot be seen through. Please note: black windows are opaque and









SINGLE DOOR - SIZES

2134mm (7'0")		2235mm (7'3")	
ಕ		ಕ	
2286mm (7'6")	MAX HEIGHT	2590mm (8'5")	MAX WIDTH



	[
4267mm (14'0")	ð	4572mm (15'0")
2134mm (7'0")	ð	2286mm (7'6")























MADE IN THE UK

THE CHERTSEY

windows as standard but can be fitted with Stippled Perspex windows if required. convenience of a one piece up and over door. The door is supplied with opaque black The Chertsey door combines the appearance of traditional side hinged doors with the

G.R.P. WOODGRAIN COLOUR OPTIONS

SEE PAGE 18 FOR DETAILS



GLAZING OPTIONS





























THE SUNBURY

windows as standard but can be fitted with Stippled Perspex windows if required. convenience of a one piece up and over door. The door is supplied with opaque black The Sunbury door combines the appearance of traditional side hinged doors with the

SINGLE DOOR - SIZES

|--|

G.R.P. WOODGRAIN COLOUR OPTIONS

SEE PAGE 18 FOR DETAILS





GLAZING OPTIONS



cannot be seen through. Please note: black windows are opaque and

G.R.P. GARAGE DOORS SIDE HINGED DOORS



and practicality of G.R.P. with the convenience of a tried and tested matching Verwood style personnel door combine all the advantages The CDC range of traditional G.R.P. side hinged garage doors and a

and finished to a very high specification. Our side hinged garage to the back of every door for improved aesthetic appearance. preventing any distortion and have an additional flow coat applied doors have G.R.P. panels built onto individual steel frames All our garage doors are hand made to order and are manufactured

security, weather seals, Euro dead locking latch, black lever handles hinges, a pair of solid garage door stays, centre style for maximum As standard, all side hinged garage doors include: heavy duty steel inside and out and are supplied pre-fitted with frames for ease of

and open outwards to maximise available clear space inside the garage. As standard the right hand leaf (viewed externally) opens Side hinged garage doors are manufactured with equal sized leaves first - left hand leaf opening is available on request.

and Richmond doors, see page 18 for details. A range of glazing options are available for the Betchworth, Cobham

outside frame dimension. All side hinged and personnel doors to be ordered as an overall

GLAZING OPTIONS







- Additional flow coat appearance. improved aesthetic of every door for applied to the back
- Supplied with standard colour pre-fitted frames:







SIDE HINGED DOORS









1989mm	MIN HEIGHT	820mm	MIN WIDTH
ð		ð	
2194mm	MAX HEIGHT	1320mm	MAX WIDTH

VERWOOD PERSONNEL ENTRY DOOR - SIZES

- Matching Verwood style personnel entry door.
- Centre style between leaves for maximum security - preventing forced entry attempts.
- Weather seals between frame and leaves for draught reduction.
- Heavy duty steel hinges for maximum security and reliable operation.
- Euro dead locking latch and black lever handles inside and out as standard.
- Optional range of coloured lever handles available.







G.R.P. GARAGE DOORS SIDE HINGED DOORS







HINGED















































Shown with standard colour black frame. Please see page 18 for colour options and page 19 for glazing options.

Please see page 18 for colour options and page 19 for glazing options. Shown with standard colour brown frame.

THE BETCHWORTH - SIDE HINGED

All side hinged doors are ordered as overall outside frame dimension.

All side hinged doors are ordered as overall outside frame dimension.



SIDE HINGED DOOR - OVERALL FRAME SIZES

1980mm	MIN HEIGHT	2234mm	MIN WIDTH
ð		to	
2196mm	MAX HEIGHT	2539mm	MAX WIDTH

SIDE HINGED DOOR - OVERALL FRAME SIZES

1980mm	MIN HEIGHT	2234mm	MIN WIDTH
€		ಕ	
2196mm	MAX HEIGHT	2539mm	MAX WIDTH

G.R.P. GARAGE DOORS SIDE HINGED DOORS







SIDE HINGED PERSONNEL



















































All side hinged doors are ordered as overall outside frame dimension.

colour white frame.

colour options and page 19 for glazing options. Shown with standard

Available in gloss white and gloss magnolia - please see page 18 for

THE RICHMOND - SIDE HINGED

All side hinged doors are ordered as overall outside frame dimension


Please see page 18 for colour options and page 19 for glazing options. Shown with standard colour brown frame.

THE VERWOOD - SIDE HINGED



SIDE HINGED DOOR - OVERALL FRAME SIZES

1980mm	MIN HEIGHT	2234mm	MIN WIDTH	E 11114 GED 000
ð		ਰ		0
2196mm	MAX HEIGHT	2539mm	MAX WIDTH	THINGE DOOR OFFICIENT OFFICE




SIDE HINGED DOOR - OVERALL FRAME SIZES

1890mm	MIN HEIGHT	1930mm	MIN WIDTH
ð		to	
2196mm	MAX HEIGHT	2539mm	MAX WILLIH

GOLOUR OPTIONS





We spend considerable time and take great care reproducing the beautiful look of natural timber by hand applying the wood tone finish to our doors. As with natural timber, some colour variation can occur over the face of an individual door and also between doors.

Please tell us if two doors of the same colour are to be fitted in close proximity to each other so that any colour variations can be kept to a minimum.

Please note when trying to colour match garage doors with other UPVC products always check a colour sample first. For example Rosewood GRP doesn't match Rosewood UPVC where Dark Mahogany GRP is a closer match.

- 01 14 standard woodgrain colours
- 15 17 premium woodgrain colours*
- 18 19 standard smooth gloss colours
 Other RAL colours are available.
- * Please see our price list for details.





WINDOW GLAZING OPTIONS FOR DOORS WITH THIS SYMBOL













WHITE PRIMED

BLACK

BROWN

STIPPLED PERSPEX

WITH SQUARE LEADING STIPPLED PERSPEX

WITH DIAMOND LEADING

*Black windows are opaque and cannot be seen through.

AND DIAMOND LEADING* OPAQUE BLACK WITH BORDER



FRAMES

Golden Oak woodgrain foil. available in a range of finishes - white doors in a steel frame. Frames are into a timber frame or we can supply All of our doors are suitable for fitting primed, colour painted and Rosewood or





AUTOMATION

security for your property. convenience and luxury of remote opening and also increased All our garage doors are suitable for automation, giving you the

Please contact us for more information.

PRODUCT GUARANTEES



Guarantees are subject to the conditions set out below:

- 1. During the comprehensive 2 year guarantee CDC undertake to repair or replace (at its discretion), and without charge, products or components which have suffered any form of manufacturing defect. Claims must be notified within 3 days of delivery or within a reasonable time after discovery of the defect.
- Products covered by these guarantees must have been purchased through an authorised CDC distributor or as original equipment attached to a newly built dwelling.

Ξ

- The warranties shall apply to normal use only. Normal use constitutes no more than 5 operations (open / close cycles per day).
- The warranties offered apply to the CDC product only and no consequential damages will apply no matter how caused.
- No liability will be accepted as a result of normal wear and tear, incorrect storage, incorrect handling, faulty installation, incorrect use or wilful damage.

. У

- Claims under this guarantee must be made through the original supplier and accompanied by relevant documentation indicating the date of purchase (e.g. receipt).
- CDC maximum liability shall be the original purchase price inclusive of V.A.T. at the rate.

~

Any product which is subject to a claim:

œ

 Must have been correctly installed in accordance with the installation instructions supplied and thereafter properly maintained by a suitably experienced engineer on a regular basis.

- II) Must have the manufacturer's reference number still intact.
- III) Must not have been modified in any way.
- Claims will not be accepted where the claim is due to:

9.

Impact or mechanical damage suffered during or following installation e.g. scratches, indentations, scuffs or other surface abrasions.

_

- Damaged caused by contact with any form of caustic, abrasive or corrosive substance, bird droppings, fire, smoke, floodwater, salts, or abnormal atmospheric pollution.
- This guarantee excludes normal wear and tear on such items as cones, cables, spindles, lock cylinders, hinges or springs.

CDC G.R.P. doors are individually hand crafted products manufactured to specific customer orders. Due to the nature of the product and the hand finishing process used they may occasionally display small blemishes which do not detract from the overall appearance of the product. These are regarded as being within tolerance when such blemishes are not visible to the naked eye when viewed from a distance of 3 meters. Similarly woodgrain effect products will, like the natural material, display colour variations across their surface and colour will vary from door to door. Ordering doors to match helps to reduce this variation but will not eradicate it entirely.

Size and Deflection - the natural curing process does affect the ultimate product size and a tolerance of +6mm on both height and width is deemed acceptable. Doors in the open position may display a vertical deflection of up to 6mm per liner meter.


Translucency - may vary slightly when viewed from the inside on a bright day due to the variation in laminate thickness. This does not represent a manufacturing defect and overall performance is not affected.

Door Cleaning - periodically clean the door panel using warm water and a soft cloth or sponge, allow to dry naturally. Never use detergent, abrasive, caustic or solvent based cleaners as these may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic.

Top and Bottom Rails and End Styles - may vary in height or width between doors of the same style depending on size ordered. This is to enable us to cater for your particular size of door. Should you have any concerns please contact CDC before placing an order.

The Corporate Door Company's policy is one of continuous improvement and we reserve the right to change the specification or withdraw any products without prior notice.

All details are correct at time of going to press, October 2018, errors and omissions excepted.







YOUR CORPORATE DOOR COMPANY DISTRIBUTOR IS:



The Corporate Door Company. 35 to 37 Azura Close, Woolsbridge Industrial Estate, Three Legged Cross, Wimborne, Dorset, BH21 6SZ Tel: 01202 829699 - Fax: 01202 820908 - Email: info@thecorporatedoorcompany.co.uk